Notice of Allowability	Application No.	Applicant(s)
	10/769,926	ROH ET AL.
	Examiner	Art Unit
	Gene L. Bankhead	3744
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>09/23/2006</u> .		
2. The allowed claim(s) is/are <u>1-15</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
<ul><li>(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li></ul>		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E   Nation of Information	totant Application
1. Motice of References Cited (PTO-892)	<ol> <li>5. ☐ Notice of Informal P</li> <li>6. ☐ Interview Summary</li> </ol>	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Da	te
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	7. 🗌 Examiner's Amendr	ment/Comment .
Examiner's Comment Regarding Requirement for Deposit of Biological Material	_	ent of Reasons for Allowance
	9.	

#### **DETAILED ACTION**

### **Allowable Subject Matter**

Claims 1-15 are allowed.

## **EXAMINERS REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

The prior does not anticipate nor render obvious the combination set forth in the independent claims, and specifically does not show a system for switching a communication mode of a detachable pad refrigerator with a controller that controls a communication module to automatically switch the communication mode of the refrigerator with a client pad between a wired communication mode and a wireless communication mode based upon whether the client pad is attached to the refrigerator. Sharood et al. (US 6453687) teach a refrigeration system with a universal controller 110 that communicates with a control server 100 by wired communication mode (column 6 lines 55-65) and is capable of wireless communication mode via the wireless radio frequency communications network 4. Sharood et al. fail to teach the universal controller controls the communication module to automatically switch between a wired and wireless communication mode.

# RESPONSE TO ARGUMENTS

Applicant's submission of Declaration under 37 C.F.R. 1.132 that sets forth common ownership of the subject matter of claims 1-15 has been accepted and does

Application/Control Number: 10/769,926

Art Unit: 3744

overcome the prior art rejections of Roh et al. (Koream Laid-open Patent Publication No. 10-2002-0047618) in view of Liebenow et al. (US 6131136).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gene L. Bankhead whose telephone number is (571)-272-8963. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571)-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/769,926

Art Unit: 3744

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Examiner Art Unit 3744 GB

\*\*\*

MARC NORMAN PRIMARY EXAMINER